



#43221

DATE: June 13, 2018

SUBJECT: OCX.NoDivRisk CONTRACT ADJUSTMENTS FOR CASH DIVIDENDS
EX -DATE: 06/14/2018

OCC has been advised by OneChicago that the following OCX.NoDivRisk Futures will be ex-dividend as described below:

Symbol	Adjustment	ExDate
AGM1D	-0.58	20180614
ALB1D	-0.335	20180614
ALB1I	-0.335	20180614
ALB1J	-0.335	20180614
ALB1K	-0.335	20180614
ALB1L	-0.335	20180614
ALB2H	-0.335	20180614
ALB3F	-0.335	20180614
ALB3H	-0.335	20180614
ALB3M	-0.335	20180614
ALB3T	-0.335	20180614
ALB3W	-0.335	20180614
ALLE1D	-0.21	20180614
ALLE1I	-0.21	20180614
ALLE1J	-0.21	20180614
ALLE1K	-0.21	20180614
ALLE1L	-0.21	20180614
ALLE2H	-0.21	20180614
ALLE3F	-0.21	20180614
ALLE3H	-0.21	20180614
ALLE3M	-0.21	20180614
ALLE3T	-0.21	20180614
ALLE3W	-0.21	20180614
AME1D	-0.14	20180614
AME1I	-0.14	20180614
AME1J	-0.14	20180614
AME1K	-0.14	20180614
AME1L	-0.14	20180614
AME2H	-0.14	20180614
AME3F	-0.14	20180614
AME3H	-0.14	20180614

AME3M	-0.14	20180614
AME3T	-0.14	20180614
AME3W	-0.14	20180614
AMH1D	-0.05	20180614
AMH2H	-0.05	20180614
AMH3F	-0.05	20180614
AMH3H	-0.05	20180614
AMH3M	-0.05	20180614
AMH3T	-0.05	20180614
AMH3W	-0.05	20180614
ARCC1D	-0.38	20180614
ARR1D	-0.19	20180614
BBBY1D	-0.16	20180614
BBBY1I	-0.16	20180614
BBBY1J	-0.16	20180614
BBBY1K	-0.16	20180614
BBBY1L	-0.16	20180614
BBBY2H	-0.16	20180614
BBBY3F	-0.16	20180614
BBBY3H	-0.16	20180614
BBBY3M	-0.16	20180614
BBBY3T	-0.16	20180614
BBBY3W	-0.16	20180614
BCE1D	-0.5813	20180614
BGG1D	-0.14	20180614
BIG1D	-0.3	20180614
BR1D	-0.365	20180614
BR2H	-0.365	20180614
BR3F	-0.365	20180614
BR3H	-0.365	20180614
BR3M	-0.365	20180614
BR3T	-0.365	20180614
BR3W	-0.365	20180614
BXS1D	-0.14	20180614
CCI1D	-1.05	20180614
CCI1I	-1.05	20180614
CCI1J	-1.05	20180614
CCI1K	-1.05	20180614
CCI1L	-1.05	20180614
CCI2H	-1.05	20180614
CCI3F	-1.05	20180614
CCI3H	-1.05	20180614
CCI3M	-1.05	20180614
CCI3T	-1.05	20180614
CCI3W	-1.05	20180614
CFFN1D	-0.25	20180614
CMA1D	-0.34	20180614
CMA1I	-0.34	20180614

CMA1J	-0.34	20180614
CMA1K	-0.34	20180614
CMA1L	-0.34	20180614
CMA2H	-0.34	20180614
CMA3F	-0.34	20180614
CMA3H	-0.34	20180614
CMA3M	-0.34	20180614
CMA3T	-0.34	20180614
CMA3W	-0.34	20180614
CNQ1D	-0.2579	20180614
DLR1D	-1.01	20180614
DLR1I	-1.01	20180614
DLR1J	-1.01	20180614
DLR1K	-1.01	20180614
DLR1L	-1.01	20180614
DLR2H	-1.01	20180614
DLR3F	-1.01	20180614
DLR3H	-1.01	20180614
DLR3M	-1.01	20180614
DLR3T	-1.01	20180614
DLR3W	-1.01	20180614
DPZ1D	-0.55	20180614
DPZ2H	-0.55	20180614
DPZ3F	-0.55	20180614
DPZ3H	-0.55	20180614
DPZ3M	-0.55	20180614
DPZ3T	-0.55	20180614
DPZ3W	-0.55	20180614
DVN1D	-0.08	20180614
DVN1I	-0.08	20180614
DVN1J	-0.08	20180614
DVN1K	-0.08	20180614
DVN1L	-0.08	20180614
DVN2H	-0.08	20180614
DVN3F	-0.08	20180614
DVN3H	-0.08	20180614
DVN3M	-0.08	20180614
DVN3T	-0.08	20180614
DVN3W	-0.08	20180614
ECA1D	-0.015	20180614
EGF1D	-0.041	20180614
EGF2H	-0.041	20180614
EGF3F	-0.041	20180614
EGF3H	-0.041	20180614
EGF3M	-0.041	20180614
EGF3T	-0.041	20180614
EGF3W	-0.041	20180614
EMN1D	-0.56	20180614

EMN1I	-0.56	20180614
EMN1J	-0.56	20180614
EMN1K	-0.56	20180614
EMN1L	-0.56	20180614
EMN2H	-0.56	20180614
EMN3F	-0.56	20180614
EMN3H	-0.56	20180614
EMN3M	-0.56	20180614
EMN3T	-0.56	20180614
EMN3W	-0.56	20180614
ESRT1D	-0.105	20180614
ESRT2H	-0.105	20180614
ESRT3F	-0.105	20180614
ESRT3H	-0.105	20180614
ESRT3M	-0.105	20180614
ESRT3T	-0.105	20180614
ESRT3W	-0.105	20180614
EXR1D	-0.86	20180614
EXR1I	-0.86	20180614
EXR1J	-0.86	20180614
EXR1K	-0.86	20180614
EXR1L	-0.86	20180614
EXR2H	-0.86	20180614
EXR3F	-0.86	20180614
EXR3H	-0.86	20180614
EXR3M	-0.86	20180614
EXR3T	-0.86	20180614
EXR3W	-0.86	20180614
FFIN1D	-0.21	20180614
FIS1D	-0.32	20180614
FIS1I	-0.32	20180614
FIS1J	-0.32	20180614
FIS1K	-0.32	20180614
FIS1L	-0.32	20180614
FIS2H	-0.32	20180614
FIS3F	-0.32	20180614
FIS3H	-0.32	20180614
FIS3M	-0.32	20180614
FIS3T	-0.32	20180614
FIS3W	-0.32	20180614
FNF1D	-0.3	20180614
GATX1D	-0.44	20180614
GGT1D	-0.22	20180614
GILD1D	-0.57	20180614
GILD1I	-0.57	20180614
GILD1J	-0.57	20180614
GILD1K	-0.57	20180614
GILD1L	-0.57	20180614

GILD2H	-0.57	20180614
GILD3F	-0.57	20180614
GILD3H	-0.57	20180614
GILD3M	-0.57	20180614
GILD3T	-0.57	20180614
GILD3W	-0.57	20180614
GLPI1D	-0.63	20180614
GLPI2H	-0.63	20180614
GLPI3F	-0.63	20180614
GLPI3H	-0.63	20180614
GLPI3M	-0.63	20180614
GLPI3T	-0.63	20180614
GLPI3W	-0.63	20180614
GPK1D	-0.075	20180614
GPK2H	-0.075	20180614
GPK3F	-0.075	20180614
GPK3H	-0.075	20180614
GPK3M	-0.075	20180614
GPK3T	-0.075	20180614
GPK3W	-0.075	20180614
GPN1D	-0.01	20180614
GPN1I	-0.01	20180614
GPN1J	-0.01	20180614
GPN1K	-0.01	20180614
GPN1L	-0.01	20180614
GPN2H	-0.01	20180614
GPN3F	-0.01	20180614
GPN3H	-0.01	20180614
GPN3M	-0.01	20180614
GPN3T	-0.01	20180614
GPN3W	-0.01	20180614
GRX1D	-0.13	20180614
GRX2H	-0.13	20180614
GRX3F	-0.13	20180614
GRX3H	-0.13	20180614
GRX3M	-0.13	20180614
GRX3T	-0.13	20180614
GRX3W	-0.13	20180614
HUN1D	-0.1625	20180614
HUN2H	-0.1625	20180614
HUN3F	-0.1625	20180614
HUN3H	-0.1625	20180614
HUN3M	-0.1625	20180614
HUN3T	-0.1625	20180614
HUN3W	-0.1625	20180614
INFY1D	-0.4671	20180614
IRET1D	-0.07	20180614
IRM1D	-0.5875	20180614

IRM1I	-0.5875	20180614
IRM1J	-0.5875	20180614
IRM1K	-0.5875	20180614
IRM1L	-0.5875	20180614
IRM2H	-0.5875	20180614
IRM3F	-0.5875	20180614
IRM3H	-0.5875	20180614
IRM3M	-0.5875	20180614
IRM3T	-0.5875	20180614
IRM3W	-0.5875	20180614
KBR1D	-0.08	20180614
KBR2H	-0.08	20180614
KBR3F	-0.08	20180614
KBR3H	-0.08	20180614
KBR3M	-0.08	20180614
KBR3T	-0.08	20180614
KBR3W	-0.08	20180614
KO1D	-0.39	20180614
KO1I	-0.39	20180614
KO1J	-0.39	20180614
KO1K	-0.39	20180614
KO1L	-0.39	20180614
KO2H	-0.39	20180614
KO3F	-0.39	20180614
KO3H	-0.39	20180614
KO3M	-0.39	20180614
KO3T	-0.39	20180614
KO3W	-0.39	20180614
LAMR1D	-0.91	20180614
LAMR2H	-0.91	20180614
LAMR3F	-0.91	20180614
LAMR3H	-0.91	20180614
LAMR3M	-0.91	20180614
LAMR3T	-0.91	20180614
LAMR3W	-0.91	20180614
LDOS1D	-0.32	20180614
LDOS2H	-0.32	20180614
LDOS3F	-0.32	20180614
LDOS3H	-0.32	20180614
LDOS3M	-0.32	20180614
LDOS3T	-0.32	20180614
LDOS3W	-0.32	20180614
LEG1D	-0.38	20180614
LEG1I	-0.38	20180614
LEG1J	-0.38	20180614
LEG1K	-0.38	20180614
LEG1L	-0.38	20180614
LEG2H	-0.38	20180614

LEG3F	-0.38	20180614
LEG3H	-0.38	20180614
LEG3M	-0.38	20180614
LEG3T	-0.38	20180614
LEG3W	-0.38	20180614
M1D	-0.3775	20180614
M1I	-0.3775	20180614
M1J	-0.3775	20180614
M1K	-0.3775	20180614
M1L	-0.3775	20180614
M2H	-0.3775	20180614
M3F	-0.3775	20180614
M3H	-0.3775	20180614
M3M	-0.3775	20180614
M3T	-0.3775	20180614
M3W	-0.3775	20180614
MEOH1D	-0.33	20180614
MGU1D	-0.37	20180614
MGU2H	-0.37	20180614
MGU3F	-0.37	20180614
MGU3H	-0.37	20180614
MGU3M	-0.37	20180614
MGU3T	-0.37	20180614
MGU3W	-0.37	20180614
MO1D	-0.7	20180614
MO1I	-0.7	20180614
MO1J	-0.7	20180614
MO1K	-0.7	20180614
MO1L	-0.7	20180614
MO2H	-0.7	20180614
MO3F	-0.7	20180614
MO3H	-0.7	20180614
MO3M	-0.7	20180614
MO3T	-0.7	20180614
MO3W	-0.7	20180614
MRK1D	-0.48	20180614
MRK1I	-0.48	20180614
MRK1J	-0.48	20180614
MRK1K	-0.48	20180614
MRK1L	-0.48	20180614
MRK2H	-0.48	20180614
MRK3F	-0.48	20180614
MRK3H	-0.48	20180614
MRK3M	-0.48	20180614
MRK3T	-0.48	20180614
MRK3W	-0.48	20180614
MSI1D	-0.52	20180614
MSI1I	-0.52	20180614

MSI1J	-0.52	20180614
MSI1K	-0.52	20180614
MSI1L	-0.52	20180614
MSI2H	-0.52	20180614
MSI3F	-0.52	20180614
MSI3H	-0.52	20180614
MSI3M	-0.52	20180614
MSI3T	-0.52	20180614
MSI3W	-0.52	20180614
NAC1D	-0.0555	20180614
NAC2H	-0.0555	20180614
NAC3F	-0.0555	20180614
NAC3H	-0.0555	20180614
NAC3M	-0.0555	20180614
NAC3T	-0.0555	20180614
NAC3W	-0.0555	20180614
NDAQ1D	-0.44	20180614
NDAQ1I	-0.44	20180614
NDAQ1J	-0.44	20180614
NDAQ1K	-0.44	20180614
NDAQ1L	-0.44	20180614
NDAQ2H	-0.44	20180614
NDAQ3F	-0.44	20180614
NDAQ3H	-0.44	20180614
NDAQ3M	-0.44	20180614
NDAQ3T	-0.44	20180614
NDAQ3W	-0.44	20180614
NEU1D	-1.75	20180614
NEU2H	-1.75	20180614
NEU3F	-1.75	20180614
NEU3H	-1.75	20180614
NEU3M	-1.75	20180614
NEU3T	-1.75	20180614
NEU3W	-1.75	20180614
NOV1D	-0.05	20180614
NOV1I	-0.05	20180614
NOV1J	-0.05	20180614
NOV1K	-0.05	20180614
NOV1L	-0.05	20180614
NOV2H	-0.05	20180614
NOV3F	-0.05	20180614
NOV3H	-0.05	20180614
NOV3M	-0.05	20180614
NOV3T	-0.05	20180614
NOV3W	-0.05	20180614
NVG1D	-0.0655	20180614
NZF1D	-0.066	20180614
OCSL1D	-0.095	20180614

OCSL2H	-0.095	20180614
OCSL3F	-0.095	20180614
OCSL3H	-0.095	20180614
OCSL3M	-0.095	20180614
OCSL3T	-0.095	20180614
OCSL3W	-0.095	20180614
OLED1D	-0.06	20180614
OLED2H	-0.06	20180614
OLED3F	-0.06	20180614
OLED3H	-0.06	20180614
OLED3M	-0.06	20180614
OLED3T	-0.06	20180614
OLED3W	-0.06	20180614
OXSQ1D	-0.2	20180614
PKG1D	-0.79	20180614
PKG1I	-0.79	20180614
PKG1J	-0.79	20180614
PKG1K	-0.79	20180614
PKG1L	-0.79	20180614
PKG2H	-0.79	20180614
PKG3F	-0.79	20180614
PKG3H	-0.79	20180614
PKG3M	-0.79	20180614
PKG3T	-0.79	20180614
PKG3W	-0.79	20180614
QQQX1D	-0.42	20180614
RNR1D	-0.33	20180614
RNR2H	-0.33	20180614
RNR3F	-0.33	20180614
RNR3H	-0.33	20180614
RNR3M	-0.33	20180614
RNR3T	-0.33	20180614
RNR3W	-0.33	20180614
RRC1D	-0.02	20180614
RRC1I	-0.02	20180614
RRC1J	-0.02	20180614
RRC1K	-0.02	20180614
RRC1L	-0.02	20180614
RRC2H	-0.02	20180614
RRC3F	-0.02	20180614
RRC3H	-0.02	20180614
RRC3M	-0.02	20180614
RRC3T	-0.02	20180614
RRC3W	-0.02	20180614
RYAM1D	-0.07	20180614
RYN1D	-0.27	20180614
SCI1D	-0.17	20180614
SFL1D	-0.35	20180614

SLCA1D	-0.0625	20180614
SLCA2H	-0.0625	20180614
SLCA3F	-0.0625	20180614
SLCA3H	-0.0625	20180614
SLCA3M	-0.0625	20180614
SLCA3T	-0.0625	20180614
SLCA3W	-0.0625	20180614
TCO1D	-0.655	20180614
TCPC1D	-0.36	20180614
TCRD1D	-0.27	20180614
TDS1D	-0.16	20180614
TECK1D	-0.0385	20180614
TMO1D	-0.17	20180614
TMO1I	-0.17	20180614
TMO1J	-0.17	20180614
TMO1K	-0.17	20180614
TMO1L	-0.17	20180614
TMO2H	-0.17	20180614
TMO3F	-0.17	20180614
TMO3H	-0.17	20180614
TMO3M	-0.17	20180614
TMO3T	-0.17	20180614
TMO3W	-0.17	20180614
TROW1D	-0.7	20180614
TROW1I	-0.7	20180614
TROW1J	-0.7	20180614
TROW1K	-0.7	20180614
TROW1L	-0.7	20180614
TROW2H	-0.7	20180614
TROW3F	-0.7	20180614
TROW3H	-0.7	20180614
TROW3M	-0.7	20180614
TROW3T	-0.7	20180614
TROW3W	-0.7	20180614
TSLX1D	-0.39	20180614
TXT1D	-0.02	20180614
TXT1I	-0.02	20180614
TXT1J	-0.02	20180614
TXT1K	-0.02	20180614
TXT1L	-0.02	20180614
TXT2H	-0.02	20180614
TXT3F	-0.02	20180614
TXT3H	-0.02	20180614
TXT3M	-0.02	20180614
TXT3T	-0.02	20180614
TXT3W	-0.02	20180614
UGI1D	-0.26	20180614
VIAB1D	-0.2	20180614

VIAB1I	-0.2	20180614
VIAB1J	-0.2	20180614
VIAB1K	-0.2	20180614
VIAB1L	-0.2	20180614
VIAB2H	-0.2	20180614
VIAB3F	-0.2	20180614
VIAB3H	-0.2	20180614
VIAB3M	-0.2	20180614
VIAB3T	-0.2	20180614
VIAB3W	-0.2	20180614
VLY1D	-0.11	20180614
WH1D	-0.25	20180614
WOR1D	-0.21	20180614
WRB1D	-0.15	20180614
WRE1D	-0.3	20180614
WU1D	-0.19	20180614
WU1I	-0.19	20180614
WU1J	-0.19	20180614
WU1K	-0.19	20180614
WU1L	-0.19	20180614
WU2H	-0.19	20180614
WU3F	-0.19	20180614
WU3H	-0.19	20180614
WU3M	-0.19	20180614
WU3T	-0.19	20180614
WU3W	-0.19	20180614
WYN2D	-0.66	20180614
WYN2K	-0.66	20180614
WYN2L	-0.66	20180614
WYND1D	-0.41	20180614
XEL1D	-0.38	20180614
XEL1I	-0.38	20180614
XEL1J	-0.38	20180614
XEL1K	-0.38	20180614
XEL1L	-0.38	20180614
XEL2H	-0.38	20180614
XEL3F	-0.38	20180614
XEL3H	-0.38	20180614
XEL3M	-0.38	20180614
XEL3T	-0.38	20180614
XEL3W	-0.38	20180614
XL1D	-0.22	20180614
XL1I	-0.22	20180614
XL1J	-0.22	20180614
XL1K	-0.22	20180614
XL1L	-0.22	20180614
XL2H	-0.22	20180614
XL3F	-0.22	20180614

XL3H	-0.22	20180614
XL3M	-0.22	20180614
XL3T	-0.22	20180614
XL3W	-0.22	20180614

DISCLAIMER

This Information Memo provides an unofficial summary of the terms of corporate events affecting listed futures prepared for the convenience of market participants. OCC accepts no responsibility for the accuracy or completeness of the summary, particularly for information which may be relevant to investment decisions. Futures investors should independently ascertain and evaluate all information concerning this corporate event(s).

ALL CLEARING MEMBERS ARE REQUESTED TO IMMEDIATELY ADVISE ALL BRANCH OFFICES AND CORRESPONDENTS ON THE ABOVE.

For questions regarding this memo, call Investor Services at 1-888-678-4667 or email investorservices@theocc.com. Clearing Members may contact Member Services at 1-800-544-6091 or, within Canada, at 1-800-424-7320, or email memberservices@theocc.com.